



OSeMOSYS
Open Source Energy Modelling System



Introduction to the Climate-Land-Energy- Water (CLEWs) modelling framework and its use in the Nexus Assessment of the Drina River Basin



Day 2 – July 9th, 2021



Agenda

Time	Session	Presenter
9:30-9:45	Welcome and recap of Day 1	Francesco Gardumi
9:45-10:45	Follow-along exercise: creating a simple model	Francesco Gardumi
10:45-11:00	Break	
11:00-11:45	Follow-along exercise: creating scenarios	Francesco Gardumi
11:45-12:15	Github and Drina model transfer	Emir Fejzic
12:15-12:30	Wrap-up and end of session	Emir Fejzic



Recap of Day 1

OSeMOSYS
Open Source Energy Modelling System


www.optimus.community

- Acquired general knowledge about the assessment of the water-energy-food nexus
- Understood the scope and characteristics of the CLEWs nexus methodology
- Understood the methodology underlying the water-energy model of the Drina River Basin
- Related the scenario results of the water-energy model of the Drina river basin to key numerical assumptions and to the methodology

Questions?



Day 2 – July 9th, 2021

OSeMOSYS
Open Source Energy Modelling System

 pTIMUS
www.optimus.community

Learning objectives

- Understand the key elements of a long-term water-energy model
- Create and modify a simple long-term energy system model
- Understand how the Drina water-energy model looks like and how it can be run




Session I Follow-along exercise: creating a simple model


What we saw yesterday

The CLEWs framework suggests the linkages can be quantified:

- using models (e.g. OSeMOSYS).



What we saw yesterday





A very simple model to start with




1 simple chain:

1 demand and 1 supply option

The supply must meet the demand

We will work on a **.txt file**





What does an OSeMOSYS model do?




A simplified representation of reality

Technologies (boxes) and commodities (lines)

This type of model answers:

- What technology to invest in
- When to invest
- How much to invest
- How to operate the system

Structure of a simple sample electricity system model






Structure of the model



To create the model, we need the following sets of information:

- Technologies
- Fuels
- Years over which we'll model
- The sub-annual time-slices that will be considered

Hint: ALWAYS sketch out a schematic representation (also called **Reference Energy System**)



Technology

- DEMPWRCOA – Coal import
- PWRCOA – Coal powerplant

Year

- 2019-2022

Fuels

- COA – Coal
- ELC002 - Electricity

Timeslices

- Day & Night



Key concepts: Time and Demand

We assume an electricity demand of 100 PJ in 2019, then growing by 25 PJ every year

More energy is normally required during the day, so we assume that:

- $\frac{2}{3}$ of the electricity is used during the day
- $\frac{1}{3}$ of the electricity is used during the night

We split the year equally into Day and Night:

- Day takes **50%** of the time in one year
- Night takes **50%** of the time in one year



Key concepts: Time and Demand

We assume an electricity demand of 100 PJ in 2019, then growing by 25 PJ every year (**Associated parameter: Specified Annual Demand**)

More energy is normally required during the day, so we assume that: (**Associated parameter: Specified Demand Profile**)

- $\frac{2}{3}$ of the electricity is used during the day
- $\frac{1}{3}$ of the electricity is used during the night

We split the year equally into Day and Night: (**Associated parameter: Year Split**)

- Day takes **50%** of the time in one year
- Night takes **50%** of the time in one year



Key concepts: Technology activity, capacity, input and output



Capacity: installed power (max energy generated per unit of time)

Activity: total actual operation

Output-to-activity ratio: output produced per unit of activity (we assume that 1 unit of electricity is produced for every unit of activity of the power plant**)

Input-to-activity-ratio: input needed per unit of activity. Depends on the efficiency



Setting up a model

1. If you get stuck, check out the user guide and the [online forum](#)
2. Always draw a Reference Energy System scheme
3. Chose the code required
4. Put in the Set data
5. Put in the Parameter data
6. Check all constraints and 'default valules'
7. Start with a demand
8. Introduce the Backstop
9. Build the model progressively



Let us get to work

OSeMOSYS
Open Source Energy Modelling System

**pTIMUS**
www.optimus.community

You will be able to start the exercise by opening the link below:

https://mybinder.org/v2/gh/KTH-dESA/UNECE-Capacity-Building/main?filepath=cb_simple_example.ipynb



Session II Follow-along exercise: creating scenarios



Let us get to work

OSeMOSYS
Open Source Energy Modelling System


www.optimus.community

You will be able to start the exercise by opening the link below:

https://mybinder.org/v2/gh/KTH-dESA/UNECE-Capacity-Building/main?filepath=cb_adv_example.ipynb